Local Data: Atlanta

In 2021, there were 39,172 people living with HIV in Atlanta. In 2021, 1,453 people were newly diagnosed with HIV.

HIV Prevalence


Number of people living with HIV, 2021

39,172


Rate of people living with HIV per 100,000 population, 2021

1,118

Percent of people living with HIV, by Sex, 2021



Rate of people living with HIV per 100,000 population, by Geography, 2021



New HIV Diagnoses


Number of new HIV diagnoses, 2021


1,453

Rate of new HIV diagnoses per 100,000 population, 2021


41

Percent of people newly diagnosed with HIV, by Sex, 2021









Late HIV Diagnoses

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.

Number of new HIV diagnoses that were diagnosed late, 2021

326

Proportion of people with a late HIV diagnosis, by Sex, 2021 Male: 22.8% Female: 20.5%

Proportion of people with a late HIV diagnosis, by Race/Ethnicity, 2021 Black: 21.2% Hispanic/Latinx: 29.7% White: 22.0%

Percent of new HIV diagnoses that were diagnosed late, 2021

22.4%

Proportion of people with a late HIV diagnosis, by Age, 2021 Aged 13-24: 13.1% Aged 25-44: 22.6% Aged 45-59: 38.3% Aged 60+: 27.5%

Linked to HIV Care

Linkage to care is defined as having a visit with a health care provider and getting a CD4 or viral load test within one month of being diagnosed with HIV.

Number of people diagnosed with HIV and linked to HIV care, 2021

1,156

Proportion of people linked to HIV care, by Sex, 2021 Male: 80.2% Female: 76.2%

Proportion of people linked to HIV care, by Race/Ethnicity, 2021 Black: 78.0% Hispanic/Latinx: 85.2% White: 82.4%

Percent of people diagnosed with HIV and linked to HIV care, 2021

79.6%

Proportion of people linked to HIV care, by Age, 2021 Aged 13-24: 75.2% Aged 25-44: 80.6% Aged 45-59: 81.9% Aged 60+: 78.4%

Receipt of HIV Care

Receipt of HIV care is defined as those living with diagnosed HIV who received medical care for HIV and had at least one CD4 count or HIV viral load test in that year.

Number of people living with HIV who received HIV care, 2021 27,467

Proportion of people who received HIV care, by Sex, 2021 Male: 75.8% Female: 73.1%

Proportion of people who received HIV care, by Race/Ethnicity, 2021 Black: 74.5% Hispanic/Latinx: 72.7% White: 78.3%

Percent of people living with HIV who received HIV care, 2021

75.3%

Proportion of people who received HIV care, by Age, 2021 Aged 13-24: 82.6% Aged 25-44: 76.2% Aged 45-59: 75.1% Aged 60+: 72.2%

Viral Suppression

Viral suppression is defined as those living with diagnosed HIV who had suppressed HIV viral load (<200 copies/mL).

Number of people living with HIV who were virally suppressed, 2021

23,568

Proportion of people who were virally suppressed, by Sex, 2021

Male: 60.7% Female: 57.9%

Proportion of people who were virally suppressed, by Race/Ethnicity, 2021 Black: 58.0% Hispanic/Latinx: 60.6% White: 67.6%

Percent of people living with HIV who were virally suppressed, 2021

60.2%

Proportion of people who were virally suppressed, by Age, 2021

Aged 13-24: 48.0% Aged 25-44: 57.5% Aged 45-59: 63.9% Aged 60+: 62.0% Number of deaths of people living with HIV in Atlanta, 2021 481

Number of deaths of people living with HIV in Georgia, 2021

967

Demographics, 2010


Total Population

4,333,441

City Population by Race/Ethnicity



Hispanic / Latinx (11.5%)



*Includes other races/ethnicities or missing/suppressed data

HIV Prevalence Rate Ratios, by Race/Ethnicity, 2021

The rate of **Black males** living with an HIV diagnosis is 6.3 times that of **White males**.


The rate of **Hispanic/Latino males** living with an HIV diagnosis is 2.2 times that of **White males**.

The rate of **Black females** living with an HIV diagnosis is 16.7 times that of **White females**.


The rate of **Hispanic/Latina females** living with an HIV diagnosis is 5.8 times that of **White females**.

Late HIV Diagnoses, 2021

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.




Region




People Living with HIV, by Transmission Category, 2021

Percent of People Living with HIV, by Transmission Category, 2021

Male Transmission Categories




Female Transmission Categories



*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

People Newly Diagnosed with HIV, by Transmission Category, 2021

Percent of People Newly Diagnosed with HIV, by Transmission Category, 2021




Male Transmission Categories

Male-to-Male Sexual Contact & Injection Drug Use (1.3%)

Other/Unknown* (14.4%)

Female Transmission Categories



*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.









Percent of Population with a High School Education, 2021




Income Inequality (Gini Coefficient), 2021



Median Household Income, 2021



Percent of Population Unemployed, 2021



Percent of Population Living in Unstable Housing, 2021

AIDSVu is presented by the Rollins School of Public Health at Emory University in partnership with Gilead Sciences, Inc.

