## **Local Data: Las Vegas**

In 2021, there were 10,986 people living with HIV in Las Vegas. In 2021, 431 people were newly diagnosed with HIV.

#### HIV Prevalence


Number of people living with HIV, 2021

10,986


Rate of people living with HIV per 100,000 population, 2021

688


Percent of people living with HIV, by Sex, 2021



Percent of people living with HIV, by Age, 2021



Rate of people living with HIV per 100,000 population, by Geography, 2021



#### New HIV Diagnoses


Number of new HIV diagnoses, 2021

431


Rate of new HIV diagnoses per 100,000 population, 2021


27

Percent of people newly diagnosed with HIV, by Sex, 2021



Number of New HIV Diagnoses, 2017-2021





#### Late HIV Diagnoses

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.

Number of new HIV diagnoses that were diagnosed late, 2021

99

Proportion of people with a late HIV diagnosis, by Sex, 2021

Male: 23.7%

Female: 18.2%

Proportion of people with a late HIV diagnosis, by Race/Ethnicity, 2021

Black: 22.5%

**Hispanic/Latinx: 20.9%** 

White: 26.7%

Percent of new HIV diagnoses that were diagnosed late, 2021

23.0%

Proportion of people with a late HIV diagnosis, by Age, 2021

Aged 13-24: 14.5%

Aged 25-44: 20.3%

Aged 45-59: 32.1%

Aged 60+: 47.8%

#### Linked to HIV Care

Linkage to care is defined as having a visit with a health care provider and getting a CD4 or viral load test within one month of being diagnosed with HIV.

Number of people diagnosed with HIV and linked to HIV care, 2021

361

Proportion of people linked to HIV care, by Sex, 2021

Male: 85.1%

Female: 74.5%

Proportion of people linked to HIV care, by Race/Ethnicity, 2021

Black: 86.2%

**Hispanic/Latinx: 85.4%** 

White: 82.2%

Percent of people diagnosed with HIV and linked to HIV care, 2021

83.8%

Proportion of people linked to HIV care, by Age, 2021

Aged 13-24: 88.4%

Aged 25-44: 80.5%

Aged 45-59: 87.2%

Aged 60+: 95.7%

#### Receipt of HIV Care

Receipt of HIV care is defined as those living with diagnosed HIV who received medical care for HIV and had at least one CD4 count or HIV viral load test in that year.

Number of people living with HIV who received HIV care, 2021

6,869

Proportion of people who received HIV care, by Sex, 2021

Male: 68.8%

Female: 67.6%

Proportion of people who received HIV care, by Race/Ethnicity, 2021

Black: 66.7%

Hispanic/Latinx: 68.1%

White: 69.9%

Percent of people living with HIV who received HIV care, 2021

**68.6**%

Proportion of people who received HIV care, by Age, 2021

Aged 13-24: 77.9%

Aged 25-44: 67.0%

Aged 45-59: 68.6%

Aged 60+: 71.6%

#### **Viral Suppression**

Viral suppression is defined as those living with diagnosed HIV who had suppressed HIV viral load (<200 copies/mL).

Number of people living with HIV who were virally suppressed, 2021

5,935

Proportion of people who were virally suppressed, by Sex, 2021

Male: 53.7%

Female: 55.8%

Proportion of people who were virally suppressed, by Race/Ethnicity, 2021

Black: 49.9%

**Hispanic/Latinx: 55.6%** 

White: **55.1%** 

Percent of people living with HIV who were virally suppressed, 2021

**54.0**%

Proportion of people who were virally suppressed, by Age, 2021

Aged 13-24: 47.1%

Aged 25-44: 52.4%

Aged 45-59: **55.9%** 

Aged 60+: 55.0%

## **HIV** Mortality

Number of deaths of people living with HIV in Las Vegas, 2021

**95** 

Number of deaths of people living with HIV in Nevada, 2021

207

## Demographics, 2010


**Total Population** 

1,951,354

#### **City Population by Race/Ethnicity**


- American Indian / Alaska Native (0.4%)
- Asian (8.5%)
- Black (10.0%)
- Hispanic / Latinx (29.1%)

- Native Hawaiian / Other Pacific Islander (0.6%)
- White (48.0%)
- Multiple Race (3.2%)
- Other/Unknown\* (0.2%)




<sup>\*</sup>Includes other races/ethnicities or missing/suppressed data

## HIV Prevalence Rate Ratios, by Race/Ethnicity, 2021




## Late HIV Diagnoses, 2021


A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.



Region



#### **United States**




Diagnosed with HIVDiagnosed with AIDS

#### People Living with HIV, by Transmission Category, 2021


## Percent of People Living with HIV, by Transmission Category, 2021





- Injection Drug Use (3.9%)
- Heterosexual Contact (3.1%)
- Male-to-Male Sexual Contact (78.0%)
- Male-to-Male Sexual Contact & Injection Drug Use (6.2%)
- Other/Unknown\* (8.8%)

**Female Transmission Categories** 




<sup>\*</sup>Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

# People Newly Diagnosed with HIV, by Transmission Category, 2021


#### Percent of People Newly Diagnosed with HIV, by Transmission Category, 2021

#### **Male Transmission Categories**



- Injection Drug Use (3.5%)
- Male-to-Male Sexual Contact (61.7%)
- Male-to-Male Sexual Contact & Injection Drug Use (4.8%)
- Other/Unknown\* (30.0%)


**Female Transmission Categories** 



<sup>\*</sup>Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

## Social Determinants of Health, 2021







Percent of Population with a High School Education, 2021




Income Inequality (Gini Coefficient), 2021



Percent of Population Living in Poverty, 2021



Median Household Income, 2021



AIDSVu is presented by the Rollins School of Public Health at Emory University in partnership with Gilead Sciences, Inc.

