

# **Local Data: Miami-Dade County, FL**

In 2020, there were 26,559 people living with HIV in Miami-Dade County.  
In 2020, 781 people were newly diagnosed with HIV.

# HIV Prevalence


Number of people living with HIV, 2020

**26,559**

Rate of people living with HIV per 100,000 population, 2020

**1,147**


Percent of people living with HIV, by Sex, 2020




Percent of people living with HIV, by Race/Ethnicity, 2020



Percent of people living with HIV, by Age, 2020



Rate of people living with HIV per 100,000 population, by Geography, 2020



# New HIV Diagnoses


Number of new HIV diagnoses, 2020

**781**


Rate of new HIV diagnoses per 100,000 population, 2020

**34**


Percent of people newly diagnosed with HIV, by Sex, 2020




Percent of people newly diagnosed with HIV, by Race/Ethnicity, 2020



Percent of people newly diagnosed with HIV, by Age, 2020




Number of New HIV Diagnoses, 2008-2020



Due to the COVID-19 pandemic, data from 2020 should be interpreted with caution.

Rate of people newly diagnosed with HIV per 100,000 population, by Geography, 2020



# PrEP (Pre-Exposure Prophylaxis)


Number of PrEP users, 2021

**10,893**


Rate of PrEP users per 100,000 population, 2021

**472**


Percent of PrEP users, by Sex, 2021



Percent of PrEP users, by Age, 2021



Number of PrEP Users, 2012-2021



# PrEP-to-Need Ratio (PNR)

The 2021 PrEP-to-Need Ratio (PNR) is the ratio of the number of PrEP users in 2021 to the number of people newly diagnosed with HIV in 2020. PNR serves as a measurement for whether PrEP use appropriately reflects the need for HIV prevention. A lower PNR indicates more unmet need.

PNR, 2021

**13.95**

PNR, by Sex, 2021

**Male: 13.20**

**Female: 17.98**

PNR, by Age, 2021

**Aged 13-24: 13.48**


**Aged 25-34: 12.78**

**Aged 35-44: 12.98**

**Aged 45-54: 16.17**


**Aged 55+: 16.14**

PNR, 2012-2021



# HIV Continuum of Care, 2020

*Linked to Care are among people newly diagnosed with HIV and Receipt of Care and Viral Suppression are among all people living with HIV.*



**Diagnoses-based HIV Continuum Care, 2020**

## Linked to HIV Care

*Linkage to care is defined as having a visit with an HIV health care provider within one month of being diagnosed with HIV.*

Number of people diagnosed with HIV and linked to HIV care, 2020

**660**

Percent of people diagnosed with HIV and linked to HIV care, 2020

**84.5%**



## Receipt of HIV Care

*Receipt of HIV care is defined as those living with diagnosed HIV who received medical care for HIV and had at least one CD4 count or HIV viral load test in that year.*

Number of people living with HIV who received HIV care, 2020

**17,734**

Percent of people living with HIV who received HIV care, 2020

**68.8%**

## Viral Suppression

*Viral suppression is defined as those living with diagnosed HIV who had suppressed HIV viral load (<200 copies/mL).*

Number of people living with HIV who were virally suppressed, 2020

**15,256**

Percent of people living with HIV who were virally suppressed, 2020



**59.2%**

# Demographics, 2020

Total Population

**2,701,767**


## County Population by Race/Ethnicity



---

\*Includes other races/ethnicities or missing/suppressed data

# Urbanicity, 2013




\*Full CDC urbanicity definitions can be found [here](#).

# People Living with HIV, by Transmission Category, 2020


## Percent of People Living with HIV, by Transmission Category, 2020

### Male Transmission Categories



- Injection Drug Use (3.9%)
- Heterosexual Contact (17.3%)
- Male-to-Male Sexual Contact (74.5%)
- Male-to-Male Sexual Contact & Injection Drug Use (3.5%)
- Other\* (0.8%)

### Female Transmission Categories



- **Injection Drug Use (8.6%)**
- **Heterosexual Contact (88.6%)**
- **Other\* (2.8%)**

---

\*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

## HIV Testing, 2016-2017

Percent ever tested for HIV, 2016-2017


**57%**

Percent tested in the past year for HIV, 2016-2017


**19%**

# Social Determinants of Health, 2020


● County ● State ● Region ● United States




Percent of Population with a High School Education, 2020




Income Inequality (Gini Coefficient), 2020




Percent of Population Living in Poverty, 2020




Median Household Income, 2020



**Percent of Population (<65) Lacking Health Insurance, 2020**




**Percent of Population Unemployed, 2020**



**Percent of Population Living in Unstable Housing, 2020**

# Sexually Transmitted Diseases, 2020




Rates of Sexually Transmitted Diseases per 100,000 Population, 2020




# 2020 HIV-Related Philanthropic Funding to Jurisdiction

## Funding Distribution

**\$846,838**



## Intended Use and Strategy



## PrEP

\* Pre-exposure Prophylaxis


Total funding for any PrEP-related work, including: medical training, staffing for PrEP provision or related services, advocacy and awareness campaigns, or PrEP-related research.

**\$118,338**

# Population Spotlight

\* Includes LGBTQ - general, MSM, Transgender.

\*\* Includes African American, Latinx, Asian American, Indigenous.



*These data only capture a portion of the populations and strategies that FCAA tracks, please see a complete analysis of 2020 HIV Philanthropy in our most recent report:*

<https://www.fcaids.org/inform/philanthropic-support-to-address-hiv-aids/>