Local Data: New York City


In 2021, there were 100,568 people living with HIV in New York City. In 2021, 1,535 people were newly diagnosed with HIV. Number of people living with HIV, 2021

100,568


Rate of people living with HIV per 100,000 population, 2021

1,457

Percent of people living with HIV, by Sex, 2021



Rate of people living with HIV per 100,000 population, by Geography, 2021



New HIV Diagnoses


Number of new HIV diagnoses, 2021


1,535

Rate of new HIV diagnoses per 100,000 population, 2021


22

Percent of people newly diagnosed with HIV, by Sex, 2021









Late HIV Diagnoses

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.

Number of new HIV diagnoses that were diagnosed late, 2021 317

Proportion of people with a late HIV diagnosis, by Sex, 2021 Male: 20.4% Female: 21.6%

Proportion of people with a late HIV diagnosis, by Race/Ethnicity, 2021 Black: 19.7% Hispanic/Latinx: 22.3% White: 17.0%

Percent of new HIV diagnoses that were diagnosed late, 2021

20.7%

Proportion of people with a late HIV diagnosis, by Age, 2021 Aged 13-24: 10.3% Aged 25-44: 18.4% Aged 45-59: 34.2% Aged 60+: 33.3%

Linked to HIV Care

Linkage to care is defined as having a visit with a health care provider and getting a CD4 or viral load test within one month of being diagnosed with HIV.

Number of people diagnosed with HIV and linked to HIV care, 2021

1,246

Proportion of people linked to HIV care, by Sex, 2021 Male: 81.3% Female: 80.6%

Proportion of people linked to HIV care, by Race/Ethnicity, 2021 Black: 80.6% Hispanic/Latinx: 81.3% White: 83.0%

Percent of people diagnosed with HIV and linked to HIV care, 2021

81.2%

Proportion of people linked to HIV care, by Age, 2021 Aged 13-24: 82.8% Aged 25-44: 80.9% Aged 45-59: 80.6% Aged 60+: 79.3%

Receipt of HIV Care

Receipt of HIV care is defined as those living with diagnosed HIV who received medical care for HIV and had at least one CD4 count or HIV viral load test in that year.

Number of people living with HIV who received HIV care, 2021 68,419

Proportion of people who received HIV care, by Sex, 2021 Male: 73.3% Female: 74.8%

Proportion of people who received HIV care, by Race/Ethnicity, 2021 Black: 74.7% Hispanic/Latinx: 73.4% White: 70.4%

Percent of people living with HIV who received HIV care, 2021

73.7%

Proportion of people who received HIV care, by Age, 2021 Aged 13-24: 78.7% Aged 25-44: 75.2% Aged 45-59: 73.7% Aged 60+: 71.9%

Viral Suppression

Viral suppression is defined as those living with diagnosed HIV who had suppressed HIV viral load (<200 copies/mL).

Number of people living with HIV who were virally suppressed, 2021 **59,751**

Proportion of people who were virally suppressed, by Sex, 2021 Male: 58.9% Female: 60.8%

Proportion of people who were virally suppressed, by Race/Ethnicity, 2021 Black: 58.1% Hispanic/Latinx: 59.5% White: 61.2%

Percent of people living with HIV who were virally suppressed, 2021

59.4%

Proportion of people who were virally suppressed, by Age, 2021

Aged 13-24: 49.6% Aged 25-44: 58.4% Aged 45-59: 60.8% Aged 60+: 59.2% Number of deaths of people living with HIV in New York City, 2021 1,546

Number of deaths of people living with HIV in New York State, 2021

2,211

Demographics, 2010


Total Population

8,168,449

City Population by Race/Ethnicity



🛑 Hispanic / Latinx (28.6%)



*Includes other races/ethnicities or missing/suppressed data

HIV Prevalence Rate Ratios, by Race/Ethnicity, 2021

The rate of **Black males** living with an HIV diagnosis is 3.4 times that of **White males**.

The rate of **Hispanic/Latino males** living with an HIV diagnosis is 2.4 times that of **White males**.

The rate of **Black females** living with an HIV diagnosis is 14.8 times that of **White females**.

The rate of **Hispanic/Latina females** living with an HIV diagnosis is 7.5 times that of **White females**.


Number of Transgender People Living with HIV, 2021

Male to Female 2,193


Female to Male **119**

Late HIV Diagnoses, 2021

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.




Region




People Living with HIV, by Transmission Category, 2021

Percent of People Living with HIV, by Transmission Category, 2021

Male Transmission Categories




Female Transmission Categories



*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

People Newly Diagnosed with HIV, by Transmission Category, 2021


Percent of People Newly Diagnosed with HIV, by Transmission Category, 2021



Male Transmission Categories


- Injection Drug Use (0.8%)
- Heterosexual Contact (4.1%)
- Male-to-Male Sexual Contact (64.5%)
- Male-to-Male Sexual Contact & Injection Drug Use (1.8%)
- Unknown/Other*


Female Transmission Categories




*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

Social Determinants of Health, 2021





Percent of Population Unemployed, 2021



Percent of Population Living in Unstable Housing, 2021

AIDSVu is presented by the Rollins School of Public Health at Emory University in partnership with Gilead Sciences, Inc.

