

# Local Data: Philadelphia

In 2019, there were 18,306 people living with HIV in Philadelphia.

In 2019, 441 people were newly diagnosed with HIV.

# HIV Prevalence


Number of people living with HIV, 2019

**18,306**


Rate of people living with HIV per 100,000 population, 2019

**1,430**


Percent of people living with HIV, by Sex, 2019




Percent of people living with HIV, by Race/Ethnicity, 2019



Percent of people living with HIV, by Age, 2019



Rate of people living with HIV per 100,000 population, by Geography, 2019



# New HIV Diagnoses


Number of new HIV diagnoses, 2019

**441**


Rate of new HIV diagnoses per 100,000 population, 2019

**34**


Percent of people newly diagnosed with HIV, by Sex, 2019




Percent of people newly diagnosed with HIV, by Race/Ethnicity, 2019




Percent of people newly diagnosed with HIV, by Age, 2019



Number of New HIV Diagnoses, 2015-2019



Rate of people newly diagnosed with HIV per 100,000 population, by Geography, 2019



# Late HIV Diagnoses

*A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.*

Number of new HIV diagnoses that were diagnosed late, 2019

**58**

Proportion of people with a late HIV diagnoses, by Sex, 2019

**Male: 14.3%**

**Female: 9.4%**

Proportion of people with a late HIV diagnoses, by Race/Ethnicity, 2019

**Black: 12.0%**

**Hispanic/Latinx: 22.4%**

**White: 8.2%**

Percent of new HIV diagnoses that were diagnosed late, 2019

**13.2%**

Proportion of people with a late HIV diagnoses, by Age, 2019

**Aged 13-24: 6.5%**

**Aged 25-44: 16.2%**

**Aged 45-59: 13.6%**

**Aged 60+: 11.1%**

# Linked to HIV Care

---

*Linkage to care is defined as having a visit with an HIV health care provider within one month of being diagnosed with HIV.*

Number of people diagnosed with HIV and linked to HIV care, 2019

**358**

Proportion of people linked to HIV care, by Sex, 2019

**Male: 80.6%**

**Female: 83.0%**

Proportion of people linked to HIV care, by Race/Ethnicity, 2019

**Black: 80.9%**

**Hispanic/Latinx: 82.9%**

**White: 80.8%**

Percent of people diagnosed with HIV and linked to HIV care, 2019

**81.2%**

Proportion of people linked to HIV care, by Age, 2019

**Aged 13-24: 89.7%**

**Aged 25-44: 78.0%**

**Aged 45-59: 80.3%**

**Aged 60+: 77.8%**

# Receipt of HIV Care

---

*Receipt of HIV care is defined as those living with diagnosed HIV who have received medical care for HIV.*

Number of people living with HIV who received HIV care, 2019

**11,979**

Proportion of people who received HIV care, by Sex, 2019

**Male: 69.5%**

**Female: 76.2%**

Proportion of people who received HIV care, by Race/Ethnicity, 2019

**Black: 73.6%**

**Hispanic/Latinx: 66.5%**

**White: 66.1%**

Percent of people living with HIV who received HIV care, 2019

**71.4%**

Proportion of people who received HIV care, by Age, 2019

**Aged 13-24: 81.7%**

**Aged 25-44: 73.1%**

**Aged 45-59: 70.3%**

**Aged 60+: 69.7%**



# Viral Suppression

---

*Viral suppression is defined as those living with diagnosed HIV who had suppressed HIV viral load (<200 copies/mL).*

Number of people living with HIV who were virally suppressed, 2019

**10,432**

Proportion of people who were virally suppressed, by Sex, 2019

**Male: 55.2%**

**Female: 61.6%**

Proportion of people who were virally suppressed, by Race/Ethnicity, 2019

**Black: 58.0%**

**Hispanic/Latinx: 52.8%**

**White: 55.2%**

Percent of people living with HIV who were virally suppressed, 2019

**57.0%**

Proportion of people who were virally suppressed, by Age, 2019

**Aged 13-24: 51.7%**

**Aged 25-44: 54.4%**

**Aged 45-59: 58.2%**

**Aged 60+: 59.2%**

# HIV Mortality

Number of deaths of people with HIV in Philadelphia, 2019

**262**

Number of deaths of people with HIV in Pennsylvania, 2018


**562**

# Demographics, 2010

Total Population

**1,526,206**

## City Population by Race/Ethnicity



---

\*Includes other races/ethnicities or missing/suppressed data

# HIV Prevalence Rate Ratios, by Race/Ethnicity, 2019

---

The rate of **Black males** living with an HIV diagnosis is 3.3 times that of **White males**.

---

The rate of **Hispanic/Latino males** living with an HIV diagnosis is 2.9 times that of **White males**.

---

The rate of **Black females** living with an HIV diagnosis is 6.8 times that of **White females**.

---

The rate of **Hispanic/Latina females** living with an HIV diagnosis is 6.0 times that of **White females**.

# Number of Transgender People Living with HIV, 2019


Male to Female  
**330**

Female to Male  
**30**


# Late HIV Diagnoses, 2019

*A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.*


## City




## State



## Region



**United States**




● Diagnosed with HIV ● Diagnosed with AIDS

# People Living with HIV, by Transmission Category, 2019


## Percent of People Living with HIV, by Transmission Category, 2019

### Male Transmission Categories



- Injection Drug Use (17.3%)
- Heterosexual Contact (19.7%)
- Male-to-Male Sexual Contact (53.2%)
- Male-to-Male Sexual Contact & Injection Drug Use (5.7%)
- Other\* (4.1%)

### Female Transmission Categories



- **Injection Drug Use (25.5%)**
- **Heterosexual Contact (64.4%)**
- **Other\* (10.1%)**

---


\*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.



# People Newly Diagnosed with HIV, by Transmission Category, 2019


## Percent of People Newly Diagnosed with HIV, by Transmission Category, 2019

### Male Transmission Categories



- Injection Drug Use (13.4%)
- Heterosexual Contact (3.6%)
- Male-to-Male Sexual Contact (70.4%)
- Male-to-Male Sexual Contact & Injection Drug Use (3.0%)
- Other\* (9.6%)

### Female Transmission Categories




- **Injection Drug Use (26.4%)**
- **Heterosexual Contact (13.2%)**
- **Other\* (60.4%)**

---


\*Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

# Social Determinants of Health, 2019


City State Region United States




Percent of Population with a High School Education, 2019




Income Inequality (Gini Coefficient), 2019




Percent of Population Living in Poverty, 2019



Median Household Income, 2019




**Percent of Population Unemployed, 2019**



**Percent of Population Living in Unstable Housing, 2019**

## Sexually Transmitted Diseases, 2019



**Rates of Sexually Transmitted Diseases per 100,000 Population, 2019**

- City
- State
- Region
- United States