## Local Data: Washington, DC

In 2021, there were 13,672 people living with HIV in Washington, DC. In 2021, 197 people were newly diagnosed with HIV.

#### HIV Prevalence


Number of people living with HIV, 2021


13,672


Rate of people living with HIV per 100,000 population, 2021

2,589


Percent of people living with HIV, by Sex, 2021







Rate of people living with HIV per 100,000 population, by Geography, 2021



## New HIV Diagnoses


Number of new HIV diagnoses, 2021


197


Rate of new HIV diagnoses per 100,000 population, 2021

**37** 

Percent of people newly diagnosed with HIV, by Sex, 2021







#### Late HIV Diagnoses

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.

Number of new HIV diagnoses that were diagnosed late, 2021

38

Proportion of people with a late HIV diagnosis, by Sex, 2021

Male: 20.7%

Female: 14.9%

Proportion of people with a late HIV diagnosis, by Race/Ethnicity, 2021

Black: 20.0%

Hispanic/Latinx: 17.9%

Percent of new HIV diagnoses that were diagnosed late, 2021

19.3%

Proportion of people with a late HIV diagnosis, by Age, 2021

Aged 25-44: 17.4%

Aged 45-59: 27.5%

#### Linked to HIV Care

Linkage to care is defined as having a visit with a health care provider and getting a CD4 or viral load test within one month of being diagnosed with HIV.

Number of people diagnosed with HIV and linked to HIV care, 2021

145

Proportion of people linked to HIV care, by Sex, 2021

Male: 73.3%

Female: 74.5%

Proportion of people linked to HIV care, by Race/Ethnicity, 2021

Black: **71.9**%

**Hispanic/Latinx: 78.6%** 

White: **73.9**%

Percent of people diagnosed with HIV and linked to HIV care, 2021

**73.6**%

Proportion of people linked to HIV care, by Age, 2021

Aged 13-24: 81.5%

Aged 25-44: 70.4%

Aged 45-59: 77.5%

Aged 60+: 73.3%

#### Receipt of HIV Care

Receipt of HIV care is defined as those living with diagnosed HIV who received medical care for HIV and had at least one CD4 count or HIV viral load test in that year.

Number of people living with HIV who received HIV care, 2021

8,897

Proportion of people who received HIV care, by Sex, 2021

Male: 68.3%

Female: **71.6%** 

Proportion of people who received HIV care, by Race/Ethnicity, 2021

Black: **70.9%** 

**Hispanic/Latinx: 62.5%** 

White: 63.9%

Percent of people living with HIV who received HIV care, 2021

**69.2**%

Proportion of people who received HIV care, by Age, 2021

Aged 13-24: 80.0%

Aged 25-44: 70.5%

Aged 45-59: 70.3%

Aged 60+: 65.7%

#### **Viral Suppression**

Viral suppression is defined as those living with diagnosed HIV who had suppressed HIV viral load (<200 copies/mL).

Number of people living with HIV who were virally suppressed, 2021

7,503

Proportion of people who were virally suppressed, by Sex, 2021

Male: **54.7**%

Female: 55.5%

Proportion of people who were virally suppressed, by Race/Ethnicity, 2021

Black: **55.4**%

Hispanic/Latinx: 51.0%

White: 54.8%

Percent of people living with HIV who were virally suppressed, 2021

**54.9**%

Proportion of people who were virally suppressed, by Age, 2021

Aged 13-24: 50.3%

Aged 25-44: 53.3%

Aged 45-59: **57.2**%

Aged 60+: 53.8%

## **HIV Mortality**

Number of deaths of people living with HIV in state, 2021

**265** 

## Demographics, 2010


**Total Population** 

601,723

#### **City Population by Race/Ethnicity**


- American Indian / Alaska Native (0.2%)
- Asian (3.5%)
- Black (50.0%)
- Hispanic / Latinx (9.1%)

- White (34.8%)
- Multiple Race (2.1%)
- Other/Unknown\* (0.3%)




<sup>\*</sup>Includes other races/ethnicities or missing/suppressed data


## HIV Prevalence Rate Ratios, by Race/Ethnicity, 2021




## Late HIV Diagnoses, 2021

A late HIV diagnosis is defined as having an AIDS diagnosis within three months of initial HIV diagnosis.






Region



#### **United States**




Diagnosed with HIV Diagnosed with AIDS

## People Living with HIV, by Transmission Category, 2021


## Percent of People Living with HIV, by Transmission Category, 2021

#### **Male Transmission Categories**



- Injection Drug Use (6.8%)
- Heterosexual Contact (8.6%)
- Male-to-Male Sexual Contact (65.0%)
- Male-to-Male Sexual Contact & Injection Drug Use (5.3%)
- Other/Unknown\* (14.3%)

**Female Transmission Categories** 




<sup>\*</sup>Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

# People Newly Diagnosed with HIV, by Transmission Category, 2021


## Percent of People Newly Diagnosed with HIV, by Transmission Category, 2021

#### **Male Transmission Categories**



- Male-to-Male Sexual Contact (79.3%)
- Other/Unknown\* (20.7%)


**Female Transmission Categories** 




<sup>\*</sup>Includes risk factor not reported or identified, along with hemophilia, blood transfusion, perinatal exposure, or missing/suppressed data.

## Social Determinants of Health, 2021






Percent of Population with a High School Education, 2021




Income Inequality (Gini Coefficient), 2021



Percent of Population Living in Poverty, 2021



Median Household Income, 2021



AIDSVu is presented by the Rollins School of Public Health at Emory University in partnership with Gilead Sciences, Inc.

